

CITY BRICKS

WALKER ZANGER™

CITY BRICKS

Inspired by the details of neo-Gothic architecture still alive today, City Bricks takes the rustic character of real brick to another level with a more modern, fashionable feel. This exclusive collection is both innovative and environmentally responsive as the tiles contain 31% recycled post-industrial content and 58% locally sourced natural clay. City Bricks is Walker Zanger's first major Green Product collection. Each handcrafted tile features an authentic surface unique in its texture. Available in eight colors with gloss and matte finish options, City Bricks adds chic sophistication or organic sensibility to interior walls and residential floors.



RECOMMENDED USAGE



Residential Interior Wall



Residential Exterior Wall



Residential Interior Floor



Residential Exterior Floor



Commercial Interior Wall



Commercial Exterior Wall



Commercial Interior Floor



Commercial Exterior Floor



Shower Floor*



Shower Wall




3" x 9"

SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
3" x 9"	1/2"	0.1894	Ceramic	Gloss/Matte



STREET LIGHT
1CBRSLIMA39
MATTE FINISH



STREET LIGHT
1CBRSLIGL39
GLOSS FINISH



SIDEWALK
1CBRSIDGL39
GLOSS FINISH




SKYSCRAPER
1CBRSKYGL39
GLOSS FINISH



BLACK
1CBRBLKMA39
MATTE FINISH



BLACK
1CBRBLKGL39
GLOSS FINISH



SHOWN | Black Matte 3" x 9"

All interior and exterior floor applications are recommended for tiles with a matte finish only. For installation on shower floors, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements. Crackle glazes should always be sealed prior to grouting. For further questions/information about usages, please consult with your installer.

LOW
V1 COLOR
VARIATION

FROST
RESISTANT

RECOMMENDED USAGE



Residential Interior Wall



Residential Exterior Wall



Residential Interior Floor



Residential Exterior Floor



Commercial Interior Wall



Commercial Exterior Wall



Commercial Interior Floor



Commercial Exterior Floor



Shower Floor*



Shower Wall

DEMI BULLNOSE



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
1.5" x 9"	1/2"	0.09	Ceramic	Gloss/Matte



STREET LIGHT
1CBRSLIMADEBN
MATTE FINISH



STREET LIGHT
1CBRSLIGLDEBN
GLOSS FINISH



SIDEWALK
1CBRSIDGLDEBN
GLOSS FINISH



SKYSCRAPER
1CBRSKYGLDEBN
GLOSS FINISH



BLACK
1CBRBLKMADEBN
MATTE FINISH



BLACK
1CBRBLKGLDEBN
GLOSS FINISH

SHOWN | Street Light Matte 3" x 9" (Wall)



All interior and exterior floor applications are recommended for tiles with a matte finish only. For installation on shower floors, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements. Crackle glazes should always be sealed prior to grouting. For further questions/information about usages, please consult with your installer.

WALKER ZANGER™

CALIFORNIA | GEORGIA | NEVADA | NEW YORK | NORTH CAROLINA | TEXAS

WALKERZANGER.COM