

# STERLING ROW™



WALKER ZANGER™

## STERLING ROW™

Like the elegant suit of well dressed gentlemen, Sterling Row™ tiles are exquisitely tailored in both shape and color. Created from a combination of porcelain tile and marble in tones of gray, white and black, the designs of Sterling Row™ are inspired by the elegant feel of fine fabrics, the richness of burnished leather and the luxuriously appointed shops of the finest tailors in London, Manhattan and Paris. Sterling Row™ offers the look of exquisite wood and marble inlay that can be used in any space of the home, and most commercial applications, with minimal maintenance.




SHOWN  
Linen Short Skirt (On Left)  
Wingtip Charcoal 5-3/4" x 7-3/4" (Front Cover)

RECOMMENDED USAGE




ARGYLE MOSAIC



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
15-1/4" x 24-15/16"	3/8"	2.6455	Porcelain/Natural Stone	Natural

BUCKLE MOSAIC



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
9-1/4" x 13"	3/8"	0.8398	Porcelain/Natural Stone	Natural



**ARGYLE**  
1SRO2LINARG



**CHARCOAL**  
1SRO2CHAARG



**CHARCOAL**  
1SRO1LINBUC



**CHARCOAL**  
1SRO1CHABUC


RECOMMENDED USAGE



MEDIUM  
V3 COLOR  
VARIATION



FRENCH CUFF MOSAIC



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
12" x 12"	3/8"	1.0013	Porcelain/Natural Stone	Natural



**LINEN**  
1SRO1LINFRE



**CHARCOAL**  
1SRO1CHAFRE




*Most Sterling Row™ products feature natural stone. We recommend sealing all natural stone products with a penetrating sealer and sealing all porous non-polished stone (limestone, tumbled marble, etc.) prior to grouting. This prevents grout from staining or affecting the color of the stone. Stone is a natural product, and care should be taken to protect it from harsh abrasive cleaners and abrasive cleaning tools. For installation on shower floors, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements. For specific information on product materials, contact your nearest Walker Zanger sales account representative. For further questions/information about additional usages, please consult with your installer.*

RECOMMENDED USAGE




WINGTIP MOSAIC



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
12" x 12"	3/8"	1.1114	Porcelain/Natural Stone	Natural

CLASSIC FIT MOSAIC



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
12" x 12"	3/8"	1.0013	Porcelain/Natural Stone	Natural



LINEN  
1SRO1LINWING



CHARCOAL  
1SRO1CHAWING



LINEN  
1SRO1LINCLA



CHARCOAL  
1SRO1CHACLA

RECOMMENDED USAGE



Residential Exterior Wall



Residential Interior Wall



Residential Exterior Floor



Residential Interior Floor



Commercial Exterior Wall



Commercial Interior Wall



Commercial Exterior Floor



Commercial Interior Floor



Fireplace Surround




Shower Floor




Shower Wall

OXFORD MOSAIC




SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
6-1/4" x 12"	3/8"	0.5002	Porcelain/Natural Stone	Natural

HOUNDSTOOTH MOSAIC



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
9" x 9"	3/8"	0.5610	Porcelain/Natural Stone	Natural

RATTAN MOSAIC



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
8-1/16" x 8-1/8"	3/8"	0.4501	Porcelain/Natural Stone	Natural



**CHARCOAL**  
1SRO1CHAOXF



**LINEN**  
1SRO1LINHO



**CHARCOAL**  
1SRO1CHARAT

MEDIUM  
V3 COLOR  
VARIATION

FROST  
RESISTANT

RECOMMENDED USAGE



Residential  
Exterior Wall



Residential  
Interior Wall



Residential  
Exterior Floor



Residential  
Interior Floor



Commercial  
Exterior Wall



Commercial  
Interior Wall



Commercial  
Exterior Floor



Commercial  
Interior Floor



Fireplace  
Surround




Shower Floor



Shower Wall

CHESTERFIELD MOSAIC



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
7-3/4" x 10-3/4"	3/8"	0.5769	Porcelain/Natural Stone	Natural



**LINEN**  
1SRO1LINCHE



**CHARCOAL**  
1SRO1CHACHE



Most Sterling Row™ products feature natural stone. We recommend sealing all natural stone products with a penetrating sealer and sealing all porous non-polished stone (limestone, tumbled marble, etc.) prior to grouting. This prevents grout from staining or affecting the color of the stone. Stone is a natural product, and care should be taken to protect it from harsh abrasive cleaners and abrasive cleaning tools. For installation on shower floors, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements. For specific information on product materials, contact your nearest Walker Zanger sales account representative. For further questions/information about additional usages, please consult with your installer.

RECOMMENDED USAGE



Residential  
Exterior Wall



Residential  
Interior Wall



Residential  
Exterior Floor



Residential  
Interior Floor



Commercial  
Exterior Wall



Commercial  
Interior Wall



Commercial  
Exterior Floor



Commercial  
Interior Floor



Fireplace  
Surround




Shower Floor




Shower Wall

TAILOR MADE MOSAIC



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
12" x 12"	3/8"	1.1114	Porcelain/Natural Stone	Natural

SHORT SKIRT MOSAIC



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
12" x 12"	3/8"	1.0013	Porcelain/Natural Stone	Natural



**LINEN**  
1SRO1LINTAI



**CHARCOAL**  
1SRO1CHATAI



**LINEN**  
1SRO1LINSHO



**CHARCOAL**  
1SRO1CHASHO

Most Sterling Row™ products feature natural stone. We recommend sealing all natural stone products with a penetrating sealer and sealing all porous non-polished stone (limestone, tumbled marble, etc.) prior to grouting. This prevents grout from staining or affecting the color of the stone. Stone is a natural product, and care should be taken to protect it from harsh abrasive cleaners and abrasive cleaning tools. For installation on shower floors, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements. For specific information on product materials, contact your nearest Walker Zanger sales account representative. For further questions/information about additional usages, please consult with your installer.



WALKER ZANGER™

CALIFORNIA | GEORGIA | NEVADA | NEW YORK | NORTH CAROLINA | TEXAS

[WALKERZANGER.COM](http://WALKERZANGER.COM)