WALKER ZANGER™
6TH AVENUE
COLLECTION
HANDCRAFTED WHITE-BODY CERAMIC TILES

6TH AVENUE COLLECTION

An Avenue of Possibilities

Versatile, durable, and luxurious, 6th Avenue is Walker Zanger's quintessential core collection. Exclusively handcrafted in our very own ceramic studio facility, 6th Avenue comprises extremely durable white-body ceramic tile and mosaics in a variety of classic styles – and a dazzling array of over 100 available colors.

Design without limits.

Integrate 6th Avenue elements with our other collections and take your design to fresh new places, bound only by the horizons of your imagination.

Tier 1 Colors

In deciding which colors to keep in stock, Walker Zanger turned to its customers. The following are our top 10 most popular colors, and are available on demand with no minimum order quantities or additional lead times.

COLOR: WHITE
FINISH: GLOSS

COLOR: WHITE
FINISH: MATTE

COLOR: CANVAS
FINISH: GLOSS

COLOR: FOG
FINISH: GLOSS

COLOR: PALE SKY
FINISH: GLOSS

COLOR: FRENCH CLAY
FINISH: GLOSS

COLOR: JADE
FINISH: GLOSS

COLOR: MARLIN BLUE
FINISH: GLOSS

COLOR: INK
FINISH: GLOSS

COLOR: INK
FINISH: MATTE

PRODUCTS SHOWN: 2x6 FIELD IN CANVAS GLOSS (TOP RIGHT),
2" HEX IN JADE GLOSS (BOTTOM RIGHT),
VARIOUS PRODUCTS IN WHITE MATTE & JADE GLOSS (RIGHT)

Tier 2 Colors

In order to ensure the quality of our handcrafted tiles, the following colors are available through special order at a slightly higher price point than Tier 1 colors. Tier 2 colors also require a minimum order quantity, and a relatively brief additional lead time.

LEAD TIME: 6-8 WEEKS

Plus transit, from date of deposit and client purchase to delivery to the Los Angeles distribution center. Please allow additional lead time for product to reach final destination.

MINIMUM ORDER QUANTITIES:

200 sq ft per color for field tiles / 50 pieces per color for trims & moldings

Different pieces and patterns can be mixed & matched to meet minimum order quantity as long as all are the same color. If the minimum order quantity is not met, then a $1,195 set-up fee will be charged.

PRODUCT SHOWN: 3x6 FIELD IN BANGALAY GLOSS

COLOR: BLANC
FINISH: GLOSS

COLOR: FROST
FINISH: CRACKLE

COLOR: SNOW
FINISH: MATTE

COLOR: WEDGETAIL
FINISH: GLOSS

COLOR: OXFORD
FINISH: GLOSS

COLOR: RIVER MINT
FINISH: GLOSS

COLOR: CELESTE
FINISH: GLOSS

COLOR: MOONSTONE
FINISH: GLOSS

COLOR: SALTBUSH
FINISH: GLOSS

COLOR: CAPE COD
FINISH: GLOSS

COLOR: LILLY PILLY
FINISH: GLOSS

COLOR: OPAL
FINISH: GLOSS

COLOR: BANGALAY
FINISH: GLOSS

COLOR: CHARETTE
FINISH: GLOSS

COLOR: STERLING
FINISH: GLOSS

COLOR: DEEP SEA
FINISH: GLOSS

Tier 3 Colors

To further expand the 6th Avenue palette, Walker Zanger has sourced a spectrum of bespoke glaze colors in popular designer tones. Handcrafted to order, Tier 3 colors are available only by special order at a slightly higher price point than Tiers 1 and 2. They also require minimum order quantities and have a longer, yet still relatively manageable production lead time.

LEAD TIME: 10-12 WEEKS

Plus transit, from date of deposit and client purchase to delivery to the Los Angeles distribution center. Please allow additional lead time for the product to reach its final destination.

MINIMUM ORDER QUANTITIES:

200 sq ft per color for field tiles / 50 pieces per color for trims & moldings

Different pieces and patterns can be mixed & matched to meet minimum order quantity as long as all are the same color. If the minimum order quantity is not met, then a $1,195 set-up fee will be charged.

PRODUCTS SHOWN: CURVED CHEVRON IN FEDORA GLOSS (LEFT), JULIA MOSAIC IN STEEL GLOSS (TOP RIGHT), 3x6 FIELD IN ICE BLUE GLOSS/STEEL GREY GLOSS/PEWTER GLOSS (BOTTOM RIGHT), CHEVRON IN BLACK GLOSS (RIGHT)

TIER 3 COLORS

COLOR: CANVAS
FINISH: MATTE

COLOR: BONE CHINA
FINISH: CRACKLE

COLOR: BOSTON CREAM
FINISH: GLOSS

COLOR: PASTIS
FINISH: GLOSS

COLOR: KHAKI
FINISH: GLOSS

COLOR: HAMPTONS BEIGE
FINISH: CRACKLE

COLOR: BISCUIT
FINISH: GLOSS

COLOR: LINEN
FINISH: GLOSS

COLOR: SUMMER DREAM
FINISH: GLOSS

COLOR: SPANISH GOLD
FINISH: GLOSS

COLOR: HONEY BEE
FINISH: GLOSS

COLOR: CARNABY
FINISH: GLOSS

COLOR: MIEL
FINISH: GLOSS

COLOR: LEMON GRASS
FINISH: GLOSS

COLOR: COTTONTAIL
FINISH: MATTE

COLOR: FROSTING
FINISH: MATTE

COLOR: BALLET SLIPPER
FINISH: GLOSS

COLOR: BLUSH
FINISH: GLOSS

COLOR: TAFFY
FINISH: GLOSS

COLOR: REEF CLAY
FINISH: GLOSS

COLOR: BORDEAUX
FINISH: GLOSS

TIER 3 COLORS

COLOR: BRETON BEIGE
FINISH: CRACKLE

COLOR: SAND
FINISH: GLOSS

COLOR: CHAMOIS
FINISH: GLOSS

COLOR: HONEYCOMB
FINISH: MATTE

COLOR: DIJON
FINISH: CRACKLE

COLOR: CHLOE
FINISH: GLOSS

COLOR: WALNUT
FINISH: CRACKLE

COLOR: GREEN TEA
FINISH: GLOSS

COLOR: BROWNSTONE
FINISH: CRACKLE

COLOR: FLAX
FINISH: GLOSS

COLOR: FLAX
FINISH: MATTE

COLOR: FEDORA
FINISH: GLOSS

COLOR: FEDORA
FINISH: MATTE

COLOR: VICTORIA STATION
FINISH: GLOSS

COLOR: GINGERBREAD
FINISH: GLOSS

COLOR: BARK
FINISH: GLOSS

COLOR: ESPRESSO
FINISH: CRACKLE

COLOR: BENEDICT BROWN
FINISH: GLOSS

COLOR: CHOCOLAT
FINISH: GLOSS

COLOR: BLACK
FINISH: GLOSS

COLOR: BLACK
FINISH: MATTE

TIER 3 COLORS

Color	Finish
GREY HERON	MATTE
LOIRE	CRACKLE
ALOE	GLOSS
KEY LIME	GLOSS
KEY LIME	MATTE
SAGE	GLOSS
WOODLAND	GLOSS
VELVET SAGE	GLOSS
HORIZON	CRACKLE
ICE BLUE	GLOSS
SOMETHING BLUE	GLOSS
LICHEN	GLOSS
TIDEPOOL	GLOSS
AQUAMARINE	GLOSS
JULEP	GLOSS
WEDGEWOOD BLUE	CRACKLE
FOG	MATTE
GOING GREY	GLOSS
MANHATTAN	GLOSS
PIPE SMOKE	CRACKLE
PEWTER	GLOSS
ELEPHANT	MATTE

TIER 3 COLORS

Color	Finish
GRASS	GLOSS
GRASS	MATTE
OLIVER GREEN	GLOSS
HIGHLANDS GREEN	GLOSS
SPRUCE	GLOSS
JUNIPER	GLOSS
STARRY NIGHT	GLOSS
MIAMI BLUE	GLOSS
BALMORAL	GLOSS
BLUE NOTE	GLOSS
MARLIN BLUE	MATTE
MANGROVE	GLOSS
BLUE MOON	GLOSS
NAVY	GLOSS
PALE SKY	MATTE
STEEL	GLOSS
CAPE COD	MATTE
SHIITAKE	GLOSS
STERLING	MATTE
ECLIPSE	GLOSS
CARBON GREY	GLOSS

Mosaics

PATTERN: CHEVRON
SIZE: 10-3/8" X 10"

PATTERN: CURVED CHEVRON
SIZE: 7-11/16" X 8-7/8"

PATTERN: 1" X 6" MOSAIC
SIZE: 9-7/8" X 12"



PATTERN: MUSEUM MOSAIC
SIZE: 10-1/2" X 11-1/4"

PATTERN: 2" HEX MOSAIC
SIZE: 10-1/2" X 11"



PATTERN: COCOON MOSAIC
SIZE: 10-1/8" X 10"



PATTERN: JULIA MOSAIC
SIZE: 7-3/4" X 12-3/4"

PATTERN: PENNY ROUND MOSAIC
SIZE: 12" X 12"

Field Tiles

ALL TILES SHOWN IN WHITE GLOSS

PATTERN: 6" X 6" FIELD TILE
SIZE: 6" X 6"

PATTERN: 2" X 6" FIELD TILE
SIZE: 2" X 6"

PATTERN: 3" X 6" FIELD TILE
SIZE: 3" X 6"

PATTERN: 4" X 12" FIELD TILE
SIZE: 4" X 12"

PATTERN: 6" HEXAGON
SIZE: 6" X 6"

PATTERN: LONG HEXAGON
SIZE: 2" X 6"

Trim

PATTERN: BASE MOLDING
SIZE: 4" X 8-1/2"

PATTERN: RAIL MOLDING
SIZE: 2-1/4" X 8-1/2"

PATTERN: RIDGE LINER
SIZE: 5/8" X 8-1/2"

PATTERN: STICK LINER
SIZE: 3/8" X 8-1/2"

PATTERN: DEMI BULLNOSE
SIZE: 1/2" X 8"

Matte Glazes

Grouting

Residential Interior Floor

Residential Interior Wall

Shower Wall

Shower Floor

Stain Resistant

ABSORPTION
Non-absorptive

CARE
Damp cloth, gentle non-acidic soap

CHEMICALS
May experience etching if exposed to acidic liquid

COMMERCIAL USE
Interior Walls only

MEDIUM

V3 COLOR VARIATION
*Handmade tiles consist of a higher variation

Crackle Gloss

Grouting
Dark grout colors should not be used with light colored crackle tiles, it can permanently stain the crackle

Residential Interior Wall

Shower Wall

Spray Sealing
Tile should be sealed prior to and after grouting

ABSORPTION
Crackle can absorb moisture, should not be used in a fountain or other constantly moistured areas

CARE
Damp cloth, gentle non-acidic soap

COMMERCIAL USE
Interior Walls only

MEDIUM

V3 COLOR VARIATION
*Handmade tiles consist of a higher variation

Installation on exterior wall is only recommended for non-freeze/thaw climates.

For installation on shower floors, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements.

Shower wall and any floor applications are NOT recommended for crackle glazes. Crackle glazes should be sealed prior to and after grouting.

Gloss Glazes

Grouting

Residential Interior Floor

Residential Interior Wall

Shower Wall

Shower Floor

ABSORPTION
Non absorptive

CARE
Damp cloth, gentle non-acidic soap

COMMERCIAL USE
Interior Walls only

MEDIUM

V3 COLOR VARIATION
*Handmade tiles consist of a higher variation

Stain Resistant

6TH AVENUE IS SPECIALLY MADE IN A SMALL BATCH FORMAT

Samples can vary from actual production. Differences in color, shape, size, moisture absorption, surface finish, texture, and coefficient of friction, are the unique characteristics that distinguish each of these tile products and should be considered in each customer's purchase decision and decision regarding the intended use of the product selected.

Variations of these characteristics can occur between production lots of the same product type and are inherent characteristics resulting from the manufacturing process. All sizes are nominal only and may vary. Finish trim pieces require a different manufacturing process than the field tile and as a result, may vary slightly in color. Glazing on extreme relief (textured) ceramic tiles will vary in thickness. As a result, the glazing may appear darker and lighter in different areas throughout the tile.

Glazed ceramic products are subject to crazing. Crazing is the cracking solely within the fired glaze due to tensile stresses, temperature fluctuation, or expansion and contraction of the tile body or setting bed. Crazing is not a defect, nor does it affect the durability of the products and is an inherent characteristic of the manufacturing process. Some tiles are intentionally induced to craze to produce what is known as a crackle finish. Crackle glaze tiles should be sealed with a penetrating sealer prior to grouting to keep the grout from staining the clay body. Crackle glaze tiles should not be used on kitchen counter surfaces or surfaces subject to heavy uses. In areas that experience regular moisture, such as in showers, regular resealing of crackle glazes is a necessary practice.

VAPOR & MOISTURE BARRIER DISCLAIMER

When stone products or ceramic, porcelain, glass, or metal tile is installed on a concrete slab at ground level, it is the responsibility of the customer and the customer's installer to ensure that the slab is dry and fully cured and that a proper vapor moisture barrier is in place between the concrete slab and the stone product, ceramic, glass or metal tile prior to installation. All shower floor substrates and twelve inches up the adjacent perimeter walls must have a waterproof membrane on the top surface of the fully cured mortar bed prior to tiling.

ELECTRONIC NOTICE, DELAYS, INSPECTION REQUIREMENT

Buyer agrees to receive all notices, invoices, and other communications by electronic means, at the email address that has been provided by Buyer. Walker Zanger is not responsible for delivery delays beyond its control. It is the responsibility of the customer, the customer's representatives, general contractor, subcontractors, installer, and any person responsible to the owner regarding the installation of the product or the finished product, to *inspect* each Walker Zanger product upon delivery to the job site. All merchandise should be checked in and *inspected* immediately upon delivery, using the Walker Zanger packing list sent with the merchandise, to ensure the delivery of all listed items and the absence of damage. All claims of damage must be reported by facsimile transmission within 48 hours of delivery to the delivery carrier and to Walker Zanger. Do not return merchandise without strictly complying with the return merchandise policy set forth below. Time is of the essence in regard to these inspection and reporting requirements.

RETURN MERCHANDISE POLICY

This is a special order product, absolutely no returns will be accepted.

CONDITIONS OF SALE

Walker & Zanger, Inc. ("Walker Zanger") provides information concerning its products, installation procedures, and maintenance practices to assist its clients in making selection, usage, installation, and maintenance decisions, to maximize their enjoyment of its products. It is the responsibility of the client and/or the client's installer to blend the product to the owner/client's satisfaction. Client's selection and usage of Walker Zanger's products and the installation procedure and maintenance practice employed by each client are outside the direction and control of Walker Zanger and are strictly the choice and responsibility of each client.

DISCLAIMER OF WARRANTIES

Walker Zanger does not warranty any product for any specific use or any installation procedure or maintenance practice. Upon installing or using any product, buyer waives all claims relating to the product, including all express warranties and/or implied warranties, including implied warranties of merchantability. Seller disclaims all such claims. Walker Zanger shall not be liable for any special or consequential damages arising from the ownership, use, possession, or maintenance of any product by any person.

PRICES

Walker Zanger reserves the right to change its prices, terms and conditions of sale without notice. All prices are F.O.B. Walker Zanger's warehouse unless otherwise quoted.

TERMS

Sales are made on a cash basis only, unless prior "Open Account" status has been arranged with our credit department. When credit is granted, terms are 10 days net. Interest at 1-1/2% per month (18% per annum) or the maximum rate allowable by law, whichever is less, as well as court costs and collection and attorney's fees, will be charged on all past due invoices. C.O.D. on accounts over 60 days. All shipments are FOB Origin.

LIMITATIONS OF ACTIONS

The parties whom agree an action for breach of contract must be commenced within one year after accrual.

SCAN TO EXPLORE
THE 6TH AVENUE
COLLECTION

AFFORDABLE LUXURY

Beautifully handcrafted tile in a dazzling spectrum of colors.

WHITE-BODY CERAMIC

Durable enough to be rated for use in residential flooring.

DESIGNED FOR DESIGNERS

A vast and versatile palette with relatively brief and manageable lead times.



WALKER ZANGER™

CALIFORNIA | GEORGIA | NEVADA | NEW YORK | NORTH CAROLINA | TEXAS

WALKERZANGER.COM