


# GRAMERCY PARK™

HANDMADE CERAMIC TILES



WALKER ZANGER™

# GRAMERCY PARK™

## DISCOVER TIMELESS URBAN ELEGANCE,

A splendid anthology of rich decorative motifs and historic, weathered hues, Gramercy Park™ captures the architectural and botanical beauty of the historic New York City neighborhood.

Handmade tiles characterized by their intended antiquated appearance allow for an atmosphere truly reminiscent of the traditional 19<sup>th</sup> century architecture in the Gramercy Park neighborhood.

### RECOMMENDED USAGE

Usage varies based on finish



Residential Interior Wall



Residential Exterior Wall



Residential Interior Floor



Commercial Interior Wall




Commercial Exterior Wall\*



Shower Wall\*

### 6X6 FIELD TILE



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
6" x 6"	3/8"	0.2500	Ceramic	Crackle/Gloss



**HEIRLOOM WHITE**  
1GPAHWH  
GLOSS FINISH



**BONE CHINA**  
1GPABCH  
CRACKLE FINISH

### 2X6 FIELD TILE



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
2" x 6"	3/8"	0.0818	Ceramic	Crackle/Gloss



**HEIRLOOM WHITE**  
1GPAHWH2X6  
GLOSS FINISH



**BONE CHINA**  
1GPABCH2X6  
CRACKLE FINISH



**PIPE SMOKE**  
1GPAPSM2X6  
CRACKLE FINISH



**WEDGEWOOD BLUE**  
1GPAWBL2X6  
CRACKLE FINISH

*Shower wall, wet areas, and any floor applications are NOT recommended for any product with a crackle glaze. Installation on exterior wall is only recommended for non freeze/thaw climates. For installation on shower floors, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements. Gramercy Park tiles are handcrafted, and due to the nature of the multi-step glazing and staining process, there may be significant variation between tiles. In addition, glaze lots may vary significantly. All tiles should be sealed prior to grouting. For further questions/information about additional usages, please consult with your installer.*



