


WALKER ZANGER™

# CHECKERBOARD





# Checkerboard

Incorporating black and white checkerboard into your designs can transform a simple space into something striking and memorable. Perfect for high-traffic areas like entryways, kitchens, and bathrooms, where the pattern can capture attention and give a sense of movement and rhythm. The stark contrast between Elite Black and Bianco Bello marble tiles also pairs nicely with a wide range of color palettes, making these 18" x 18" patterned tiles an easy match for both bold and neutral tones.

---







RECOMMENDED USAGE

- 

Residential  
Exterior Wall\*
- 

Residential  
Interior Wall
- 

Residential  
Interior Floor
- 

Fireplace  
Surround
- 


Shower  
Wall
- 

Steam  
Shower Wall
- 

Commercial  
Exterior Wall\*
- 

Commercial  
Interior Wall
- 


Commercial  
Interior Floor



SIZE	THICKNESS	SF/PIECE	MATERIAL	FINISH
18" x 18"	3/8"	2.25	Marble	Honed



BIANCO BELLO  
2MARBBE18-3/8H



ELITE BLACK  
1818MATNCHORGEBCKB

Exterior wall applications are not recommended for areas that experience freeze/thaw conditions. For installation on shower floors on all products, please refer to TCNA guidelines and consult with your installer for proper waterproofing and sealing requirements. Bianco Bello 18"x18" tiles and Elite Black 18"x18" tiles are made of natural stone (honed marble). We recommend sealing all natural stone products with a penetrating sealer and sealing all porous non-polished stone (limestone, tumbled marble, etc.) prior to grouting. This prevents grout from staining or affecting the color of the stone. Stone is a natural product, and care should be taken to protect it from harsh abrasive cleaners and abrasive cleaning tools. White thin-set or mortar is required for the following: light limestone, tumbled stones, "antiquated stones" and light-colored marbles. It is possible that dry seams, pits, fossils, and glass veins are often filled at the factory. The fill may perhaps leak through the voids. In this case, refilling the voids may be a necessary maintenance procedure. For further questions/information about additional usages, please consult with your installer.







WALKER ZANGER™

CALIFORNIA | GEORGIA | NEVADA | NEW YORK | NORTH CAROLINA | TEXAS

[WALKERZANGER.COM](http://WALKERZANGER.COM)